

# Basicline 403

Manually height-adjustable washbasins

- Width 60 cm
- Manual, stepless adjustment with socket spanner
- Free space below the unit for plumbing connections





403-11-05

Page 46



- Overall depth 48.2 cm
- Compact washbasin for children or confined spaces

403-01-05

Page 47



- Overall depth 52.6 cm
- Wheelchair accessible washbasin with shallow bowl and concave front edge

403-03-05

Page 48



- Overall depth 58.6 cm
- Wheelchair accessible washbasin with shallow bowl, concave front edge and easy-to-grip sides

403-10-05

Page 49



- Overall depth 58.6 cm
- Wheelchair accessible washbasin with shallow bowl, generous flat surfaces and easy-to-grip sides

403-15-05

Page 50



- Overall depth 58.6 cm
- Wheelchair accessible washbasin with shallow bowl and integrated gripping slots



Functions and advantages

- Legroom under the washbasin, 482 mm
- Distance to mixer lever, 225 mm
- Compact washbasin for children or confined spaces

Standard equipment


- Washbasin (425-011)
- Mixer (425-105)
- Flexible drain hose with drainage trap
- Flexible water hoses

Specifications

|                         |                                                                              |
|-------------------------|------------------------------------------------------------------------------|
| Lift model              | Manual, steplessly adjustable washbasin unit Adjust-ment with socket spanner |
| Legroom                 | 482 mm                                                                       |
| Mixer                   | 150 mm lever. Distance to mixer lever, 225 mm                                |
| Overall depth from wall | 482 mm                                                                       |
| Washbasin               | Porcelain washbasin 600x445 mm, incl. overflow and bottom drain with plug    |
| Max load, washbasin     | 100 kg                                                                       |
| Width                   | 600 mm                                                                       |
| Installation            | Wall mounted                                                                 |
| Height adjustment       | 300 mm                                                                       |
| Material-specification  | Powder coated aluzinc-coated sheet steel, white RAL 9010                     |
| Plumbing connections    | Flexible water hoses and drain hose with water trap                          |
|                         | CE                                                                           |

| Art. no.                                                                                      | Designation                                                         |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
|  403-11-05 | BASICLINE 403-11-05<br>- incl. single lever mixer with 150 mm lever |

(mm)





Functions and advantages

- Legroom under the washbasin, 526 mm
- Distance to mixer lever, 265 mm
- Wheelchair accessible washbasin with shallow bowl and concave front edge

Standard equipment

- Washbasin (425-001)
- Mixer (425-105)
- Flexible drain hose with drainage trap
- Flexible water hoses

Specifications

|                         |                                                                             |
|-------------------------|-----------------------------------------------------------------------------|
| Lift model              | Manual, steplessly adjustable washbasin unit Adjustment with socket spanner |
| Legroom                 | 526 mm                                                                      |
| Mixer                   | 150 mm lever. Distance to mixer lever, 265 mm                               |
| Overall depth from wall | 526 mm                                                                      |
| Washbasin               | Porcelain washbasin 600x490 mm, incl. overflow and bottom drain with plug   |
| Max load, washbasin     | 100 kg                                                                      |
| Width                   | 600 mm                                                                      |
| Installation            | Wall mounted                                                                |
| Height adjustment       | 300 mm                                                                      |
| Material-specification  | Powder coated aluzinc-coated sheet steel, white RAL 9010                    |
| Plumbing connections    | Flexible water hoses and drain hose with water trap                         |
|                         | CE                                                                          |

Art. no.


Designation

403-01-05

BASICLINE 403-01-05  
- incl. single lever mixer with 150 mm lever



(mm)





Functions and advantages

- Legroom under the washbasin, 586 mm
- Distance to mixer lever, 324 mm
- Wheelchair accessible washbasin with shallow bowl, concave front edge and easy-to-grip sides

Standard equipment


- Washbasin (425-003)
- Mixer (425-105)
- Flexible drain hose with drainage trap
- Flexible water hoses

Specifications

|                         |                                                                             |
|-------------------------|-----------------------------------------------------------------------------|
| Lift model              | Manual, steplessly adjustable washbasin unit Adjustment with socket spanner |
| Legroom                 | 586 mm                                                                      |
| Mixer                   | 150 mm lever. Distance to mixer lever, 324 mm                               |
| Overall depth from wall | 586 mm                                                                      |
| Washbasin               | Porcelain washbasin 550x550 mm, incl. overflow and bottom drain with plug   |
| Max load, washbasin     | 100 kg                                                                      |
| Width                   | 600 mm                                                                      |
| Installation            | Wall mounted                                                                |
| Height adjustment       | 300 mm                                                                      |
| Material-specification  | Powder coated aluzinc-coated sheet steel, white RAL 9010                    |
| Plumbing connections    | Flexible water hoses and drain hose with water trap                         |
| CE                      |                                                                             |

| Art. no.                                                                                      | Designation                                                         |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
|  403-03-05 | BASICLINE 403-03-05<br>- incl. single lever mixer with 150 mm lever |

(mm)





Functions and advantages

- Legroom under the washbasin, 586 mm
- Distance to mixer lever, 330 mm
- Wheelchair accessible washbasin with shallow bowl, generous flat surfaces and easy-to-grip sides

Standard equipment

- Washbasin (425-010)
- Mixer (425-105)
- Flexible drain hose with drainage trap
- Flexible water hoses


Specifications

|                         |                                                                             |
|-------------------------|-----------------------------------------------------------------------------|
| Lift model              | Manual, steplessly adjustable washbasin unit Adjustment with socket spanner |
| Legroom                 | 586 mm                                                                      |
| Mixer                   | 150 mm lever. Distance to mixer lever, 330 mm                               |
| Overall depth from wall | 586 mm                                                                      |
| Washbasin               | Porcelain washbasin 600x550 mm, incl. overflow and bottom drain with plug   |
| Max load, washbasin     | 100 kg                                                                      |
| Width                   | 600 mm                                                                      |
| Installation            | Wall mounted                                                                |
| Height adjustment       | 300 mm                                                                      |
| Material-specification  | Powder coated aluzinc-coated sheet steel, white RAL 9010                    |
| Plumbing connections    | Flexible water hoses and drain hose with water trap                         |
|                         | CE                                                                          |

| Art. no.  | Designation                                                         |
|-----------|---------------------------------------------------------------------|
| 403-10-05 | BASICLINE 403-10-05<br>- incl. single lever mixer with 150 mm lever |



(mm)





Functions and advantages

- Legroom under the washbasin, 586 mm
- Distance to mixer lever, 315 mm
- Wheelchair accessible washbasin with shallow bowl and integrated gripping slots

Standard equipment


- Washbasin, excl. overflow (425-015)
- Mixer (425-105)
- Flexible drain hose with drainage trap
- Flexible water hoses

Specifications


|                         |                                                                                              |
|-------------------------|----------------------------------------------------------------------------------------------|
| Lift model              | Manual, steplessly adjustable washbasin unit Adjustment with socket spanner                  |
| Legroom                 | 586 mm                                                                                       |
| Mixer                   | 150 mm lever. Distance to mixer lever, 315 mm                                                |
| Overall depth from wall | 586 mm                                                                                       |
| Washbasin               | Wash basin of solid surface material with integrated grab handles 600x550 mm, excl. overflow |
| Max load, washbasin     | 100 kg                                                                                       |
| Width                   | 600 mm                                                                                       |
| Installation            | Wall mounted                                                                                 |
| Height adjustment       | 300 mm                                                                                       |
| Material-specification  | Powder coated aluzinc-coated sheet steel, white RAL 9010                                     |
| Plumbing connections    | Flexible water hoses and drain hose with water trap                                          |
|                         | CE                                                                                           |

| Art. no.                                                                                      | Designation                                                         |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
|  403-15-05 | BASICLINE 403-15-05<br>- incl. single lever mixer with 150 mm lever |

(mm)



403-1



| Art. no.                                                                                 | Designation                      |
|------------------------------------------------------------------------------------------|----------------------------------|
|  403-1. | BASICLINE 403-1<br>- Depth 36 mm |

Functions and advantages

- Washbasin bracket optional basin
- 3 different depths: 36 mm / 120 mm / 220 mm

Standard equipment

- Washbasin bracket adjustable with socket spanner

Recommended options

- Washbasin
- Mixer
- Flexible drain hose with drainage trap
- Flexible water hoses

403-2



| Art. no.                                                                                   | Designation                       |
|--------------------------------------------------------------------------------------------|-----------------------------------|
|  403-2. | BASICLINE 403-2<br>- Depth 120 mm |

Specifications

|                        |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Lift model             | Manual, steplessly adjustable washbasin unit Adjustment with socket spanner                                                     |
| Width                  | 600 mm                                                                                                                          |
| Installation           | Wall mounted                                                                                                                    |
| Height adjustment      | 300 mm                                                                                                                          |
| Suitable basins        | Max. weight: 40 kg<br>Max width 600 mm<br>Max depth: 600 mm<br>Attachment: Washbasin, bolt installation centre-to-centre 280 mm |
| Material-specification | Powder coated aluzinc-coated sheet steel, white RAL 9010                                                                        |
| Plumbing connections   | Flexible water hoses and drain hose with water trap                                                                             |
|                        | CE                                                                                                                              |

403-3



| Art. no.                                                                                   | Designation                       |
|--------------------------------------------------------------------------------------------|-----------------------------------|
|  403-3. | BASICLINE 403-3<br>- Depth 220 mm |

Washbasin



Page 62

Mixer



Page 65

Hoses



Page 68

