

CENTERLIFT 6490

Motorised kitchen island with hanging cabinets and space for knees

CENTERLIFT 6490 is a motorised kitchen island.

With cabinets on one side and open space on the other side, a height-adjustable work area is created with space for knees on one side and generous storage space on the other.

CENTERLIFT creates a kitchen in which everyone can work comfortably while also providing a natural place for people to gather in the kitchen on all occasions.

The lifting system can be integrated with kitchens from any kitchen manufacturer.



One side is open to provide space for knees for work done sitting down.



Inset sink with shallow sink bowl and hob can be integrated with the kitchen island.



Any height adjustment moves the cabinets as well, providing an ergonomic kitchen island with good storage space.



Functions and advantages

- Motorised kitchen island lift for cabinets and the part with space for knees
- Height-adjustable 70-110 cm above floor (excl. top board)
- 400 kg lifting power
- Safety switch under storage cabinet and the part with space for knees

Standard equipment


- Factory-mounted aluminium system
- Floor-mounted motors
- Control button
- Safety switch at the part with space for knees

Recommended additional options

- Hanging cabinets
- Cover package
- Fronts
- Safety plates (under hanging cabinets)
- Top board
- Sink
- Hob


Useful information

- Fittings for worktop and fronts are included
- Worktop width = lift width + thickness of side cover + desired protrusion
- Worktop depth = lift depth (1106 mm) + thickness of front cover + desired protrusion
- Electronics and motor system "Plug and Play"
- Cover panel can hide installations under the worktop on the side with space for knees
1 pc, width = width of lift, height 510 mm, thickness 12-20 mm



Specify the location of drawers, sink and hob

The worktop is prepared in the factory to facilitate final assembly on site.






Specifications

Mounting	Floor
Height adjustment	Motorised, steplessly adjustable 400 mm (700-1100 mm excl. top board)
Speed	20 mm / sec.
Manoeuvring	Recessed mounted buttons located in the motor units (left and right side)
Safety	Safety switches under the cabinet and under the front of spaces for knees. The function of the safety switch is to stop the movement if it comes in contact with any object.
Electricity connection	Plug for 230 V, max 5.0 A
Plumbing connections	Connection is made with flexible hoses
Lifting power	400 kg
IP Class	IP 20
Frame depth	1106 mm
Front height of side with space for knees	103 mm
Dimensions of cover panel on the side with space for knees	1 pc, width = width of lift, height 510 mm, thickness 12-20 mm
Width of top board	Width of lift + thickness of the side cover + Desired protrusion
Depth of top board	Depth of lift (1106 mm) + thickness of the front cover + Desired protrusion
Delivery modules	1 package with motor units. 1 package with length-dependent beams. 1 package with ready-mounted aluminium system for the part with space for knees
Fittings enclosed	Brackets for fronts and top board
Material specifications	Motor units in lacquered steel (S235JRG2). Aluminium beams Aluminium frame for the part with space for knees
Guarantee	2 years
	CE

Measurement data

(mm)





Side with space for knees for work done when seated.



Cabinet side with generous storage space.



The cabinets are equipped with two fully-extendable, soft-close drawers.



The side with space for knees can be equipped with drawers.



Safety system in the form of safety plates under cabinets and safety strips under the part with space for knees stops the machinery if any object comes into contact with the switches.




Supplement with a mini cabinet on wheels for waste sorting.

CENTERLIFT 6490

- White RAL 9003

- Incl. control button Mini in the motor units (left and right side)




Width (cm)	Art. no.	Width (cm)	Art. no.
79.0	6490HA-079-01	209.0	6490HA-209-01
89.0	6490HA-089-01	219.0	6490HA-219-01
99.0	6490HA-099-01	229.0	6490HA-229-01
109.0	6490HA-109-01	239.0	6490HA-239-01
119.0	6490HA-119-01	249.0	6490HA-249-01
129.0	6490HA-129-01	259.0	6490HA-259-01
139.0	6490HA-139-01	269.0	6490HA-269-01
149.0	6490HA-149-01	279.0	6490HA-279-01
159.0	6490HA-159-01	289.0	6490HA-289-01
169.0	6490HA-169-01	299.0	6490HA-299-01
179.0	6490HA-179-01	309.0	6490HA-309-01
189.0	6490HA-189-01	319.0	6490HA-319-01
199.0	6490HA-199-01	329.0	6490HA-329-01

CENTERLIFT 6490

- Anthracite RAL 9004

- Incl. control button Mini in the motor units (left and right side)




79.0	6490HA-079-07	209.0	6490HA-209-07
89.0	6490HA-089-07	219.0	6490HA-219-07
99.0	6490HA-099-07	229.0	6490HA-229-07
109.0	6490HA-109-07	239.0	6490HA-239-07
119.0	6490HA-119-07	249.0	6490HA-249-07
129.0	6490HA-129-07	259.0	6490HA-259-07
139.0	6490HA-139-07	269.0	6490HA-269-07
149.0	6490HA-149-07	279.0	6490HA-279-07
159.0	6490HA-159-07	289.0	6490HA-289-07
169.0	6490HA-169-07	299.0	6490HA-299-07
179.0	6490HA-179-07	309.0	6490HA-309-07
189.0	6490HA-189-07	319.0	6490HA-319-07
199.0	6490HA-199-07	329.0	6490HA-329-07

CENTERLIFT 6490

- Black RAL 9005


- Incl. control button Mini in the motor units (left and right side)



79.0	6490HA-079-10	209.0	6490HA-209-10
89.0	6490HA-089-10	219.0	6490HA-219-10
99.0	6490HA-099-10	229.0	6490HA-229-10
109.0	6490HA-109-10	239.0	6490HA-239-10
119.0	6490HA-119-10	249.0	6490HA-249-10
129.0	6490HA-129-10	259.0	6490HA-259-10
139.0	6490HA-139-10	269.0	6490HA-269-10
149.0	6490HA-149-10	279.0	6490HA-279-10
159.0	6490HA-159-10	289.0	6490HA-289-10
169.0	6490HA-169-10	299.0	6490HA-299-10
179.0	6490HA-179-10	309.0	6490HA-309-10
189.0	6490HA-189-10	319.0	6490HA-319-10
199.0	6490HA-199-10	329.0	6490HA-329-10

Recommended accessories

Cabinet side




Cover package




Front that conceals the lifting frame




Hanging cabinets



Safety plates (under cabinets)



Side with space for knees



Control button




Front



Drawer



Cover panel and hose cover




**Hanging cabinet with drawers**

The cabinet has a large drawer and a smaller inner drawer for cutlery and utensils.

Fully extendable with soft-close.
Frame height 510 mm
Frame depth: 470 mm

Frame in white melamine.
White-lacquered door (NCS 0500-N)

30.0 cm	760-030-01
40.0 cm	760-040-01
50.0 cm	760-050-01
60.0 cm	760-060-01
70.0 cm	760-070-01
80.0 cm	760-080-01

**Cutlery compartment for inner drawer**

Fits 30.0 cm wide inner drawer	460-030
Fits 40.0 cm wide inner drawer	460-040
Fits 50.0 cm wide inner drawer	460-050
Fits 60.0 cm wide inner drawer	460-060
Fits 70.0 cm wide inner drawer	460-070
Fits 80.0 cm wide inner drawer	460-080

**Cover package**

The package contains gable cover and gable front cover

White-lacquered 16 mm MDF (NCS 0500-N)

61515-01

**Hanging cabinet with waste sorting bins, 40 cm**

The cabinet is fitted with 2 waste bins. The upper part has an inner drawer for cutlery and utensils.

Fully extendable with soft-close.
Frame height 510 mm
Frame depth: 470 mm

Waste bins (litre):
1 pc 17 litre, 1 pc 11 litre

Frame in white melamine.
White-lacquered door (NCS 0500-N)

761-040-01



Front for lift frame

Front that covers the lift frame

Front covering the lift frame above the drawer fronts.

Total length:
Width of lift -94 mm

Replace xxx with cm when ordering.
Example, 385H-040-01 for 40.0 cm

Height: 103 mm	
White-painted front in MDF, NCS 0500-N	380H-xxx-01
Lacquered aluminium, white RAL 9003	385H-xxx-01
Lacquered ALU, anthracite RAL 9004	385H-xxx-07
Lacquered ALU, black RAL 9004	385H-xxx-10
Anodised ALU	385H-xxx-06

**Hanging cabinet with waste sorting bins, 60 cm**


The cabinet is fitted with 4 waste bins. The upper part has an inner drawer for cutlery and utensils.

Fully extendable with soft-close.
Frame height 510 mm
Frame depth: 470 mm

Waste bins (litre):
1 pc 17 litre, 1 pc 11 litre, 1 pc 8 litre, 1 pc 5 litre

Frame in white melamine.
White-lacquered door (NCS 0500-N)


761-060-01

**Safety plates CENTERLIFT 6490**

The function of the safety plate is to stop the movement of the cabinet if the plate comes into contact with any object.

Mounted under the cabinets.

Colour: White	
Thickness: 12 mm	
Depth: 466 mm	
30.0 cm width	6253-030-01
40.0 cm width	6253-040-01
50.0 cm width	6253-050-01
60.0 cm width	6253-060-01
70.0 cm width	6253-070-01
80.0 cm width	6253-080-01

**Hanging cabinet under sink, 60 cm**

The cabinet is fitted with 4 waste bins.

Fully extendable with soft-close.
Frame height 510 mm
Frame depth: 470 mm

Waste bins (litre):
1 pc 17 litre, 1 pc 11 litre, 1 pc 8 litre, 1 pc 5 litre

Frame in white melamine.
White-lacquered door (NCS 0500-N)


762-060-01

**Safety package for safety plate of your own design**

The safety package contains micro-switches and cables for mounting on your own board. Instructions with milling dimensions enclosed.

The dimensions of the board must be:
Thickness: 12-16 mm
Width: 400 - 800 mm
Depth: 466 mm

6253-00

**Hanging cabinet under sink, 80 cm**

The cabinet is fitted with 6 waste bins.

Fully extendable with soft-close.
Frame height 510 mm
Frame depth: 470 mm

Waste bins (litre):
1 pc 17 litre, 1 pc 11 litre, 2 pcs 8 litre, 2 pcs 5 litre

Frame in white melamine.
White-lacquered door (NCS 0500-N)

762-080-01

**Fittings for hanging cabinet**

One set per cabinet.

6250-001

	Control button in ALU-design Wired, for recessed mounting Dimensions: 82 x 82 x 17 mm		Cutlery compartment Fits 30.0 cm wide drawer Fits 40.0 cm wide drawer Fits 50.0 cm wide drawer Fits 60.0 cm wide drawer Fits 80.0 cm wide drawer	463-030 463-040 463-050 463-060 463-080
	Control button, Mini Wired, for recessed mounting Diameter: 20 mm		Hob cover under worktop lift Provides a smooth underside. Used under the hob. White-lacquered metal RAL 9003 60.0 cm 70.0 cm 80.0 cm 90.0 cm 100.0 cm	6266-060 6266-070 6266-080 6266-090 6266-100
	Radio control - Hand control Dimensions: 38 x 110 x 10 mm For one lift		Cover panel Used to cover installations under the worktop. 12 mm white melamine 1 pc height 510 mm 2 pcs are required for lengths over 2490 mm	6263-240-01
	Multi-compartment frame, ALU-design Collects power socket, power switch or control buttons in a multi-compartment frame. Two-compartment frame: 153 x 82 x 9 mm Three-compartment frame: 225 x 82 x 9 mm		Fittings set for cover panels Used to mount cover panels that conceal installations under the worktop. 2 pcs are required for lengths over 2490 mm	6263-001
	Socket, ALU-design Earthed socket 230 V with flap cover. Dimensions: 82 x 82 x 17 mm Only Europe		Hose cover Mounted under the worktop to provide a neat coverage of hoses. Anodised aluminium Fittings are included. Width: 300 mm, Depth: 85 mm	61509-06
	Power switch, ALU-design For lighting, for example. The button has a sign for desired marking. Dimensions: 82 x 82 x 17 mm		Height-adjustment kit Used to change stroke after installation. Contains programming box and memory adapter.	61400
	Safety lock Prevents unauthorised use. Dimensions: 23 x 9 mm		Mini cabinet on wheels with drawer and inner drawer, fully extendable with soft-close The cabinet is opened by pulling out the drawer. Width: 400 mm, Height: 574 mm Depth incl. grip handle: 495 mm Top board in white compact laminate with integrated grip handle. Frame in white melamine. White-lacquered door (NCS 0500-N)	770-040-01
	Front for part with space for knees Front that gives a neat look on the side with space for knees. Total length: Width of lift -94 mm Replace xxx with cm when ordering. Example, 385H-040-01 for 40.0 cm Also used for drawers. Optional length, 20.0 - 340.0 cm Height: 103 mm Front in MDF, White NCS 0500-N Lacquered Alu. white RAL 9003 Lacquered Alu. anthracite RAL 9004 Lacquered Alut. black RAL 9005 Anodised aluminium		Integrated drawer with full extension and soft-close or push-to-open function Depth: 470 mm, height: 85 mm Colour: Anthracite (RAL 9004) 30.0 cm 40.0 cm 50.0 cm 60.0 cm 80.0 cm 30.0 cm - Push-to-open function 40.0 cm - Push-to-open function 50.0 cm - Push-to-open function 60.0 cm - Push-to-open function 80.0 cm - Push-to-open function	380H-xxx-01 385H-xxx-01 385H-xxx-07 385H-xxx-10 385H-xxx-06 465H-030 465H-040 465H-050 465H-060 465H-080 466H-030 466H-040 466H-050 466H-060 466H-080
			Mini cabinet on wheels with waste sorting and inner drawer, fully extendable with soft-close The cabinet is opened by pulling out the drawer. The bottom with the waste bins is included. Included bins: 1 pc 11 litre 1 pc 17 litre Width: 400 mm, Height: 574 mm Depth incl. grip handle: 495 mm Top board in white compact laminate with integrated grip handle. Frame in white melamine. White-lacquered door (NCS 0500-N)	771-040-01